Disable Sites from Pop-Up Blockers in Internet Explorer Version 7

The following instructions are provided to enable pop-ups from The University of Akron web sites.

- 1. From within Internet Explorer, select the arrow to the right of the Tools ricon and select Pop-up Blocker Pop-up Blocker Settings.
- 2. Type the following under "Address of Web site to allow:" *uakron.edu*

Pop-up Blocker Settings	×
Exceptions Pop-ups are currently blocked. You can allow pop-ups free websites by adding the site to the list below. Address of website to allow:	rom specific
uakron.edu	Add
Allowed sites:	
	Remove Remove all
 Notifications and filter level Play a sound when a pop-up is blocked. Show Information Bar when a pop-up is blocked. Filter level: 	
Medium: Block most automatic pop-ups	~
Pop-up Blocker FAQ	Close

3. Click the Add button. Under "Allowed sites" you should see ***.uakron.edu**

Pop-up Blocker Settings	×
Exceptions Pop-ups are currently blocked. You can allow pop-ups websites by adding the site to the list below. Address of website to allow:	from specific
	Add
Allowed sites:	
*uakron.edu	Remove Remove all
	Verify there is a check in this box.
Notifications and filter level	
Show Information Bar when a pop-up is blocked.	
Filter level:	
Medium: Block most automatic pop-ups	*
Pop-up Blocker FAQ	Close

- 4. Make sure there is a check in the box for "*Show Information Bar when a pop-up is blocked*".
- 5. Click the **Close** button.

Automatic Prompting for File Downloads

In addition to the pop-up blocker setting, the setting for "automatic prompting for file downloads" should be checked. You should verify that this setting is **enabled**. If this setting is disabled Internet Explorer is unable to prompt you to save or open the file. Therefore, it is a good idea to also check this setting and modify the option, if needed.

- 1. From within Internet Explorer, select **Tools Internet Options**.
- 2. Click the *Security* tab.
- 3. Click the **Custom Level** button located at the bottom of the screen.



4. Scroll down and locate the heading for "*Automatic prompting for file downloads*". Make sure the **Enable** radio button is selected. Click the **OK** button.

Security Settings - Local Intranet Zone
Settings
 Script ActiveX controls marked safe for scripting* Disable Enable
Prompt Bewinloads
Automatic prompting for file downloads Disable Enable
File download
 Disable
 Enable
🛃 Font download
 Disable
 Enable
O Prompt
C Enable NET Eramework set in
*Takes effect after you restart Internet Explorer
Reset custom settings
Reset to: Medium-low (default) Reset
OK Cancel

5. If you made a change to the setting you will be prompted to verify the change – click **Yes**. When you are returned to the Internet Options screen click **OK**.

